

TATHRA CLIFFS BELOW ILLOURA STREET, PLANT LIST (POST-FIRE)

Relative abundance is given by a cover abundance scale (modified Braun-Blanquet):

- | | |
|---|--|
| 1 | 1 to a few individuals present, less than 5% cover |
| 2 | many individuals present, but still less than 5% cover |
| 3 | 5 - < 20% cover |
| 4 | 20 - < 50% cover |
| 5 | 50 - < 75% cover |
| 6 | 75 - 100% cover |

G in location = gully and beyond, less weeded area (also wetter) R = down lower on rocks.

S = only present as seedlings

*Introduced species are preceded by an asterisk. Where there has been a recent name change the old name is in brackets.

| Scientific name | Common name | Abundance | Location |
|---|---------------------------|-----------|----------|
| TREES | | | |
| <i>Acacia implexa</i> | Lightwood or Hickory | 1 | |
| <i>Acacia mearnsii</i> | Black Wattle | 1 | G |
| <i>Allocasuarina verticillata</i> | Dryland Drooping Sheoak | 2 | |
| <i>Elaeocarpus reticulatus</i> | Blueberry Ash | 1 | G |
| <i>Eucalyptus longifolia</i> | Woollybutt | 1 | |
| <i>Ficus rubiginosa</i> | Port Jackson or Rusty Fig | 1 | R |
| <i>Melaleuca armillaris</i> | Bracelet Honey Myrtle | 1 | S |
| <i>Myrsine (Rapanea) howittiana</i> | Muttonwood | 1 | G |
| SHRUBS, SUB-SHRUBS | | | |
| <i>Acacia longifolia</i> ssp. <i>longifolia</i> | Sydney Golden Wattle | 2 | |
| <i>Beyeria lasiocarpa</i> | Wallaby Bush | 1 | |
| <i>Breynia oblongifolia</i> | Coffee Bush | 1 | G |
| <i>Dodonaea triquetra</i> | Hop Bush | 2 | |
| <i>Homalanthus populifolius</i> | Bleeding Heart | 1 | G |
| <i>Lasiopetalum ferrugineum</i> var. <i>ferrugineum</i> | | 1 | |
| <i>Lasiopetalum macrophyllum</i> | | 3 | |
| <i>Melaleuca hypericifolia</i> | | 1 | S |
| <i>Muehlenbeckia rhyticarya</i> | | 1 | |
| <i>Myoporum ?acuminatum</i> | Pointed Boobiolla | 1 | |
| <i>Olearia tomentosa</i> | Coast Daisy Bush | 1 | |
| <i>Pittosporum revolutum</i> | Large-fruited Pittosporum | 1 | |
| <i>Pultenaea daphnoides</i> | | 1 | |
| <i>Pultenaea pedunculata</i> | | 1 | |
| <i>Solanum vescum</i> | | 1 | |
| <i>Trema tomentosa</i> var. <i>aspera</i> | Poison Peach Bush | 1 | |
| <i>Westringia fruticosa</i> | Coast Rosemary | 2 | |
| <i>Zieria littoralis</i> | | 2 | |
| FERNS | | | |
| <i>Pteridium esculentum</i> | Bracken | 2 | G |
| VINES AND TWINERS | | | |
| <i>Billardiera mutabilis (scandens)</i> | Apple Berry | 1 | |
| * <i>Dipogon lignosus</i> | Dolichos Pea | 0-2 | G |
| <i>Glycine clandestina</i> | Twining Glycine | 1 | |
| <i>Hardenbergia violacea</i> | Native Sarsaparilla | 2 | |
| <i>Kennedia prostrata</i> | Running Postman | 1 | |
| <i>Kennedia rubicunda</i> | Running Postman | 1-5 | |
| <i>Marsdenia rostrata</i> | Milk Vine | 1 | G |
| <i>Polymeria calycina</i> | | 2 | |
| * <i>Thunbergia alata</i> | Black-eyed Susan | 0-2 | G |

| | | | |
|---|-------------------------|-----|-----|
| HERBS | | | |
| * <i>Asparagus aethiopicus</i> | Asparagus Fern | 1 | G |
| <i>Bidens pilosa</i> | Cobbler's Peg | 1 | G |
| <i>Brunoniella pumilio</i> | Small Trumpet Flower | 1 | |
| <i>Bulbine semibarbata</i> | Bulbine Lily | 0-2 | G/R |
| * <i>Chlorophytum comosum</i> | Spider Plant | 1 | G |
| * <i>Cirsium vulgare</i> | Black or Spear Thistle | 1 | G |
| * <i>Conyza sumatrensis</i> | Tall Fleabane | 0-3 | G |
| <i>Crassula sieberiana</i> | Australian Stonecrop | 0-2 | R |
| <i>Dianella ?caerulea</i> | Blue Flax Lily | 1 | G |
| <i>Dichondra repens</i> | Kidney Weed | 2 | |
| * <i>Galinsoga parviflora</i> | Potato Weed | 1 | G |
| <i>Goodenia ovata</i> | | 1 | G |
| <i>Lobelia (Pratia) purpurascens</i> | Whiteroot | 1 | G |
| <i>Opercularia aspera</i> | Stinkweed | 2 | |
| * <i>Osteospermum ecklonis</i> | South African Daisy | 1 | G |
| <i>Paterosonia sericea</i> | Purple Flag | 1 | |
| <i>Pelargonium inodorum</i> | Native Storksbill | 1 | |
| * <i>Physalis peruviana</i> | Cape Gooseberry | 1 | G |
| * <i>Phytolacca octandra</i> | Inkweed | 0-3 | G |
| <i>Pseuderanthemum variabile</i> | Pastel Flower | 1 | G |
| <i>Scaevola aemula</i> | Fanflower | 2-6 | |
| <i>Senecio hispidulus</i> | Hill Fireweed | 1 | |
| <i>Senecio linearifolius</i> | | 1 | G |
| * <i>Senecio madagascariensis</i> | Fireweed | 0-3 | G |
| * <i>Solanum nigrum</i> | Black-berry Nightshade | 0-2 | G |
| * <i>Sonchus asper</i> | Prickly Sow Thistle | 1 | G |
| * <i>Sonchus oleraceus</i> | Sow Thistle | 1 | G |
| <i>Stypandra glauca</i> | Nodding Blue Lily | 1 | |
| * <i>Taraxacum officinale</i> | Dandelion | 1 | G |
| <i>Tetragonia tetragonoides</i> | New Zealand Spinach | 1 | R |
| GRASSES | | | |
| <i>Austrostipa ?mollis</i> | Speargrass | 1 | |
| * <i>Cortaderia selloana</i> | Pampas Grass | 1 | |
| <i>Echinopogon ?caespitosus</i> | Hedgehog Grass | 1 | |
| * <i>Ehrharta erecta</i> | Panic Veldtgrass | 0-3 | G |
| <i>Entolasia stricta</i> | Wiry Panic | 2 | |
| <i>Panicum simile</i> | Two Colour Panic | 1 | |
| <i>Phragmites australis</i> | Common Reed | 0-4 | R |
| <i>Poa</i> sp. | | 1 | |
| <i>Rytidosperma (Danthonia) longifolium</i> | Curly Wallaby Grass | 2 | |
| <i>Themeda triandra (australis)</i> | Kangaroo Grass | 2 | |
| GRASS-LIKE PLANTS, SEDGES | | | |
| <i>Gahnia ?melanocarpa</i> | Black-fruited Saw-sedge | 1 | |
| <i>Lepidosperma ?laterale</i> | Variable Sword-sedge | 1 | |
| <i>Lomandra longifolia</i> | Spiny Mat-rush | 2 | |
| <i>Lomandra multiflora</i> | | 2 | |

Plant images can be found on <http://www.fscmn.com/> or on Atlas of Life website: <https://atlasoflife.naturemapr.org/Community/Categories/Guide/439>

On that website, anything called *Acacia* will be in wattles, eucalyptus in gum trees, rest of trees in "other trees". Names in purple are in peas, rest of shrubs in "other shrubs", rest of vines in "climbers". Names in blue are in lilies and irises, names in red are in daisies, rest of herbs in "other wildflowers".